

Radial drilling machine TPR-1100

Bargain




Model	TPR-1100
Brand	<u>TAILIFT</u>
Condition	used
Year of manufacture	2021
Drilling capacity mild steel	42 mm
Distance spindle - column	280 - 1.100 mm
Stock number	3965
Origin	Taiwan


✓ On stock

🕒 immediately, subject to prior sale

€ 12.480,00

~~€ 15.600,00~~





General characteristics

Drilling capacity mild steel	42 mm
Spindle cone	MK 4
Distance spindle - column	280 - 1.100 mm
Revs	44 - 1.500 (12) r.p.m.
Tapping capacity	Steel: M 25; Cast Iron: M 38
Distance table - spindle underside	470 - 1.270 mm
automatic feed	0,05 - 0,15 (3) mm/min
Spindle motor	2.2 kW
Column diameter	260 mm
Quill travel	280 mm
Table	1.725 x 715 x 180 mm
Box table dimensions	635 x 520 x 415 mm
max. height	2530 mm

Dimensions and weight

Length	1880 mm
Width	870 mm
Height	2210 mm
Weight	1800 kg

Description

demo machine

left/right rotation

automatic feed

Hesse + Co Maschinenfabrik GmbH
 IZ Nö Süd, Straße 4, Objekt 8
 A-2351 Wiener Neudorf

www.hesse-maschinen.com

T [+43-2236-63870-0](tel:+432236638700)
 F [+43-2236-63662](tel:+43223663662)
office@hesse-maschinen.com

drilling depth limit
manual headstock adjustment with mechanical clamping
electric height adjustment of extension arm and mechanical clamping
mechanical clamping of swivel movement of extension arm
central operation panel on the front side
power load readout for drilling spindle
hand wheel for spindle fine feed
coolant equipment
machine lamp
box table
machine and equipment according to the CE-regulations
operating manual in GERMAN and ENGLISH

Further information

Brochures

- [Tailift Radialbohrmaschinen Katalog](#)

Notice

Prices ex location, excluding VAT.

The [General Terms and Conditions of Delivery](#) of the Austrian Association of the Machine and Steel Construction Industry apply.

We only sell under retention of title, the goods remain our unrestricted property until they have been paid for in full.

Price changes and errors excepted.