


Radial drilling machine TC-1250H

Model	TC-1250H
Brand	<u>TAILIFT</u>
Condition	new
Drilling capacity mild steel	50 mm
Distance spindle - column	360 - 1.250 mm
Origin	Taiwan

⌚ approx. 6 months from order

€ 30.100,00

Leasing*: € 574,91





General characteristics

Drilling capacity mild steel	50 mm
Taper	MK 5
Distance spindle - column	360 - 1.250 mm
Revs	44 - 1.206 (12) r.p.m.
Tapping capacity	Steel/Cast: M40/M50
Distance table - spindle underside	441 - 1.345 mm
automatic feed	0,06 - 0,2 (3) mm/min
Spindle motor	3.7 kW
Column diameter	300 mm
Quill travel	270 mm
Table	1.785 x 785 x 190 mm
Box table dimensions	635 x 520 x 420 mm
max. height	2645 mm

Dimensions and weight

Length	2060 mm
Width	995 mm
Height	2240 mm
Weight	2300 kg

Description

- left/right rotation
- automatic feed
- drilling depth limit
- manual headstock adjustment with hydraulic clamping

electric height adjustment of extension arm and hydraulic clamping
hydraulic clamping of swivel movement of extension arm
central operation panel on the front side
power load readout for drilling spindle
hand wheel for spindle fine feed
coolant equipment
machine lamp
box table
machine and equipment according to the CE-regulations
operating manual in GERMAN and ENGLISH

Further information

Brochures

- [Tailift Radialbohrmaschinen Katalog](#)

Product video

- [Radialbohrmaschine TAILIFT TC-1250H](#)

Notice

Prices ex location, excluding VAT.

The [General Terms and Conditions of Delivery](#) of the Austrian Association of the Machine and Steel Construction Industry apply.

We only sell under retention of title, the goods remain our unrestricted property until they have been paid for in full.

Price changes and errors excepted.

* Monthly net leasing rate, leasing period 60 months, no down payment, 5% residual value, subject to a positive credit check. The leasing conditions of [GRENKELEASING GmbH](#) apply. Valid for lessees based in Austria.