

Hydraulic portal straightening press PMM 300 MT

Model	PMM 300 MT
Brand	<u>SICMI</u>
Condition	new
pressing capacity	300 to
Table	5.000 x 3.050 mm
Origin	Italy

⌚ approx. 4 months from order

€ 190.000,00

Leasing*: € 3.591,00



Symbolic photo (with optional accessories)

General characteristics

pressing capacity	300 to
Stroke	500 mm
Table	5.000 x 3.050 mm
Daylight	700 mm
Rapid speed	20 mm/s
Working speed	2 mm/s
Cylinder fix or moveable	horizontal moveable
Distance between columns	3050 mm
Horizontal movable cylinder	2.2 mm
Hydraulically movable stand	3.6 mm

Dimensions and weight

Length	4000 mm
--------	---------

Width	5000 mm
Height	2600 mm
Weight	18000 kg

Description

horizontal movable cylinder

hydraulically movable stand

control by levers as well as control panel

according to CE regulations user manual in GERMAN and ENGLISH

Options:

Work table, welded to the base frame, with holes on the surface

Control panel on the swivel arm (push buttons for press movement, solenoid valves, Siemens CPU)

Radio control panel (push buttons for press movement, solenoid valves, Siemens CPU)

Siemens control with touchscreen

Lifting cylinders in the table (6, 8 or 10 pcs.)

No-rotation shaft for the piston

2 speeds for stand movement and cylinder

Oil cooler and decompression valve

Further information

Brochures

- [SICMI Hydraulik-Pressen 2025](#)
- [pmm_präsentation_-_deu.pdf](#)

Product video

- [ryp00xrvdfy.youtube](#)

Notice

Prices ex location, excluding VAT.

The [General Terms and Conditions of Delivery](#) of the Austrian Association of the Machine and Steel Construction Industry apply.

We only sell under retention of title, the goods remain our unrestricted property until they have been paid for in full.

Price changes and errors excepted.

* Monthly net leasing rate, leasing period 60 months, no down payment, 5% residual value, subject to a positive credit check. The leasing conditions of [GRENKELEASING GmbH](#) apply. Valid for lessees based in Austria.