

Electric CNC press brake AD-ES 1240

Model	AD-ES 1240
Brand	<u>HESSE by DURMA</u>
Condition	new
pressing capacity	40 to
Bending length	1250 mm
Origin	Türkiye

⌚ approx. 12 - 14 weeks from order

€ 72.300,00

Leasing*: € 1.366,47



Symbol photo (with optional robot)

General characteristics

pressing capacity	40 to
Bending length	1250 mm
Axes	Y1 / Y2 / X and R axis
Stroke	200 mm
Inside distance between side frames	1050 mm
Gap in side frame	250 mm
Daylight	440 mm
Power concept	servomotorized spindle drive
rapid speed Y-axis	115 mm/s
Working speed Y-axis	10
Retractionspeed Y-axis	115
Back gauge travel X-axis	650 mm
Back gauge travel R-axis	250 mm
Table height	1000 mm

Motor power 7.2 kW

Dimensions and weight

Length	1950 mm
Width	1450 mm
Height	2650 mm
Weight	3600 kg

Description

standard equipment:

servomotorized spindle drive
4 axes (Y1, Y2, X and R)
Color graphics control DELEM DA-66S
- 17 " Touchscreen
- 3D imaging in simulation and production
- Suitable for personal Windows applications
- Compatible with DelemModusys
- USB and peripheral interface
- Skill-specific application treatment
- Sensor, bending and correction interface
servo motorized back gauge on linear guides and ball screws
CNC crowning table
upper tool 1010 / A / 75 °, devided and cranked
4-V die block 60x60 2009 (V = 16,22,35 and 50 mm)
laser safety device Fiessler AKAS mounted on the upper beam
linear guided sheet support arms
according to CE rules
users manual in English or German

Advantages of this concept:

- higher productivity as classic hydraulic press brakes,
by nearly instantaneously reaction on foot pedal signal
- low energy consumption
- compact motor-spindle unit with small amount of components
- no hydraulic components

optional equipment:

Hesse + Co Maschinenfabrik GmbH
IZ Nö Süd, Straße 4, Objekt 8
A-2351 Wiener Neudorf

www.hesse-maschinen.com

T [+43-2236-63870-0](tel:+432236638700)
F [+43-2236-63662](tel:+43223663662)
office@hesse-maschinen.com

Z1/Z2-axes

CNC control DELEM DA-69S 3D incl. PC software Profile-S with 3D file import option

Quick release clamping for upper tool

Further information

Brochures

- [ad-es_en-2_01.pdf](#)
- [Euram Gesamtkatalog](#)
- [WILA Abkantwerkzeug Katalog](#)
- [Rolleri Abkantlösungen](#)
- [Rolleri Klemmsysteme](#)

Notice

Prices ex location, excluding VAT.

The [General Terms and Conditions of Delivery](#) of the Austrian Association of the Machine and Steel Construction Industry apply.

We only sell under retention of title, the goods remain our unrestricted property until they have been paid for in full.

Price changes and errors excepted.

* Monthly net leasing rate, leasing period 60 months, no down payment, 5% residual value, subject to a positive credit check. The leasing conditions of [GRENKELEASING GmbH](#) apply. Valid for lessees based in Austria.