

steelworker Bendicrop 60 S

Bestseller

Model	Bendicrop 60 S
Brand	<u>GEKA</u>
Condition	new
Year of manufacture	2026
Punching power	60 ton
Max. diameter at sheet thickness (mild steel)	40 x 11 mm
Stock number	90194
Origin	Spain

🕒 May 2026, subject to prior sale

€ 22.400,00

Leasing*: € 430,08



General characteristics

Punching power	60 ton
Throat depth	250 mm
Number of stations	5
Max. diameter at sheet thickness (mild steel)	40 x 11 mm
Strokes	32 1/min
Flat steel	350 x 15 mm
Angle steel	120 x 10 mm
Round / square steel	45 / 40 mm

Notcher	10 mm
Bending unit	max. 150x10 mm
Motor	5.5 kW

Dimensions and weight

Length	1850 mm
Width	1300 mm
Height	2100 mm
Weight	1390 kg

Description

with bending station
5 working stations
flat steel shear with device to reduce deformation
angle iron shear with round- and squarebars opening
triangle notcher
punching station
press brake device for flat steel
table at flat steel station
table at notching station
length stop 1000 mm with contact switch, for angle, flat or bar station
hydraulic drive
2 foot release
user manual in GERMAN and ENGLISH

We have more than 700 references!

Further information

Brochures

- [GEKA Profistahlscheren](#)
- [GEKA Werkzeugkatalog](#)

Product video

- [Hydraulische Profilstahlschere GEKA Bendicrop 60 S](#)

Notice

Prices ex location, excluding VAT.

The [General Terms and Conditions of Delivery](#) of the Austrian Association of the Machine and Steel Construction Industry apply.

We only sell under retention of title, the goods remain our unrestricted property until they have been paid for in full.

Price changes and errors excepted.

* Monthly net leasing rate, leasing period 60 months, no down payment, 5% residual value, subject to a positive credit check. The leasing conditions of [GRENKELEASING GmbH](#) apply. Valid for lessees based in Austria.