

Hydraulic conventional press brake HOL-40E 1250

Model	HOL-40E 1250
Brand	<u>HESSE by JHL</u>
Condition	new
pressing capacity	40 to
Bending length	1250 mm
Origin	Slovakia



⌚ approx. 12 - 14 weeks from order

€ 25.400,00

Leasing*: € 485,14



Symbolfoto / sample photo





General characteristics

pressing capacity	40 to
Bending length	1250 mm
Axes	X and Y axis
Stroke	100 mm
Daylight	310 mm
Power concept	hydraulic
Oiltank	38 l
Motor	6 kW
Back gauge	420 mm
Die	1
Geschwindigkeit	10 mm/s
Retraction speed	12 mm/s
Back gauge speed	40 mm/s
Accuracy press beam	0.02 +/- mm
Back gauge accuracy	0.05 +/- mm

Dimensions and weight

Length	1750 mm
Width	950 mm
Height	1900 mm
Weight	1640 kg

Description

2 axes (Y and X)

motorized backgauge with push button and manual fine adjustment with counter

preselection of press depth Y and upper dead point
intermediate piece with quick-release lever for upper tool clamping
upper tool 1010/75/R0,8/105 1x835 mm + 1x835 mm divided
die type 2009/85° (V16/22/35/50 mm) 1x835 mm + 1x835 mm divided
2 support arms
according to CE rules
oilfilling
user manual in German

Further information

Brochures

- [JHL HOL 40](#)

Product video

- [Hydraulische konventionelle Abkantpresse HESSE by JHL HOL-40E 1250](#)

Notice

Prices ex location, excluding VAT.

The [General Terms and Conditions of Delivery](#) of the Austrian Association of the Machine and Steel Construction Industry apply.

We only sell under retention of title, the goods remain our unrestricted property until they have been paid for in full.

Price changes and errors excepted.

* Monthly net leasing rate, leasing period 60 months, no down payment, 5% residual value, subject to a positive credit check. The leasing conditions of [GRENKELEASING GmbH](#) apply. Valid for lessees based in Austria.