


Electric CNC press brake AD-EB 2580

Model	AD-EB 2580
Brand	<u>HESSE by DURMA</u>
Condition	new
pressing capacity	80 to
Bending length	2550 mm
Origin	Türkiye

⌚ approx. 12 - 14 weeks from order

€ 102.300,00

Leasing*: € 1.933,47



General characteristics

pressing capacity	80 to
Bending length	2550 mm
Axes	4
Stroke	320 mm
Inside distance between side frames	2840 mm
Daylight	500 mm
Power concept	servomotorized belt drive
rapid speed Y-axis	105 mm/s
Working speed Y-axis	10
Retractionspeed Y-axis	105
Back gauge travel X-axis	650 mm
Back gauge travel R-axis	250 mm

Dimensions and weight

Length	3700 mm
Width	2200 mm

Height	2550 mm
Weight	6400 kg

Description

Electromotor drive with multiple switched flat belt system

4 axes (Y1, Y2, X, R)

CNC control DELEM DA-66S

- 2D touchscreen display 17"
- 3D visualisation in simulation and production
- intuitive touch-screen control (simple drawing of the bending outline with your finger)
- simple and convenient data transfer
- multi-simulation option
- user friendly programming in dialogue form
- graphic simulation of the bending sequence

servo motorized back gauge on linear guides and ball screws

back gauge finger blocks on double linear guides

upper tool 1010 / A / 75 °, divided and cranked

4-V die block 60x60 2009 (V = 16,22,35 and 50 mm)

safety device BLVT light guard

linear guided sheet support arms

according to CE rules

users manual in English or German

Advantages of this concept:

- no reduction of working width by side side columns, distance between columns is bigger as bending width
- up to 30 % higher productivity as classic hydraulic press brakes,
by nearly instantaneously reaction on foot pedal signal
- marginally frame deflection
- now crowning necessary by spreading the force along the bending length
- high repetition and bending accuracy along the bending length
- low energy consumption
- no hydraulic components

Options:

CNC control DELEM DA-69S 3D incl. PC software Profile-S with 3D file import option

Further information

Brochures

- [Elektrische Abkantpresse AD-EB](#)

Accessories

- [Euram Gesamtkatalog](#)

Notice

Prices ex location, excluding VAT.

The [General Terms and Conditions of Delivery](#) of the Austrian Association of the Machine and Steel Construction Industry apply.

We only sell under retention of title, the goods remain our unrestricted property until they have been paid for in full.

Price changes and errors excepted.

* Monthly net leasing rate, leasing period 60 months, no down payment, 5% residual value, subject to a positive credit check. The leasing conditions of [GRENKELEASING GmbH](#) apply. Valid for lessees based in Austria.