

## 3D Welding table HIS28V32412



Model	HIS28V32412
Brand	<u>HISWeld</u>
Condition	new
Working area	2400 x 1200 mm
Hole diameter	28 mm mm

⌚ approx. 4 weeks from order

**€ 4.400,00**



Symbolfoto



## General characteristics

Working area	2400 x 1200 mm
--------------	----------------

Table height	850 mm
Load capacity	8000 kg
Hole diameter	28 mm mm

## Dimensions and weight

Weight	945 kg
--------	--------

## Description

- Fully milled table top 25 mm in S355J2+N with high degree of accuracy (+/- 0.05 mm) and rounded edges and holes
- Hard chrome-plated table surface Cr75

The main advantage of our tables compared to conventional systems is with the hard chrome plating Cr75, that this process achieves a much deeper penetration into the base material of up to 0.07 mm and the hardness of the surface reaches up to HV750. This also ensures optimum and lasting anti-spatter adhesion on the surface, which is one of the most efficient on the market.

- Exact dimensional and fitting accuracy of the tools with 28 mm perforation (compatible with comparable premium suppliers)
- Grid lines 100 x 100 mm
- 4 solid table feet with load capacity 2 ton/feet and levelling option
- Different foot variants available (standard, height-adjustable and with castors)
- Load capacity 8 to
- All-round 200 mm high side cheeks with diagonal perforation
- 2-sided millimetre scaling
- Substructure with stiffeners

## Further information

### Brochures

- [hisweld\\_gesamtprospekt2025.pdf](#)

### Accessories

- [hisweld\\_schweißstischzubehör\\_2025\\_01.pdf](#)

### Product video

- [pbak3jsrn2w.youtube](#)

## Notice

Prices ex location, excluding VAT.

The [General Terms and Conditions of Delivery](#) of the Austrian Association of the Machine and Steel Construction Industry apply.

We only sell under retention of title, the goods remain our unrestricted property until they have been paid for in full.

Price changes and errors excepted.