Slitting and cut-to-length line XS LINE 1250

Model	XS LINE 1250
Brand	EKICONTROL
Condition	new
Origin	Spain

approx. 6 months from order

Price on request



General characteristics

Dimensions and weight

Description

Standard equipment

• Entry guide

• 2 Feeding rolls

• 5 Straightening rolls

• Cut-to-length shears

• Encoder

• Touch screen control

• Servomotor

• Slitting shaft with 2 sets of quickly adjustable circular blades, to a maximum of 6 blades

Options

- Film plastic device

- Different types of uncoilers
- Stacking systems
- Recoiler

Maximum Width:	Material to be processed:	Thickness:	Number of simultaneous slitting cuts:	Production speed:	Coil loading capacity:	Number of straightening rolls:	Straightening Motor:	Shears Power:	Dimensions:
1250	Steel 420 Nw/mm2	1`250 mm	2	from 0 zu 120 Meter pro Minute	3, 6, 10 to	2 + 5	15 kW	3 kW	2100 x 1700 x 1450 mm 2500 kg
		1`000 mm	4						
		0`500 mm	6						
	Steel 700 Nw/mm2	0`750 mm	2						
		0`500 mm	4						
	Aluminium 200 Nw/mm2	2`500 mm	2						
		1`500 mm							
		1`000 mm	6						

If you are interested, please send us your enquiry with the following details:

- Coil weight
- Coil width
- Coil inner and outer diameter
- type of material
- Material thickness
- Number of slitting lines (only for slitting and cut-to-length lines)
- Material to be processed in tonnes per year

Further information

Brochures

- EKICONTROL Catalogue 2024 english

Product video

- dgzy2cxabek.youtube

Notice

Prices ex location, excluding VAT.

The General Terms and Conditions of Delivery of the Austrian Association of the Machine and Steel Construction Industry apply.

We only sell under retention of title, the goods remain our unrestricted property until they have been paid for in full.

Price changes and errors excepted.