Motorized folding machine MFB 4215


Model	MFB 4215
Brand	ERBEND
Condition	new
Bending length	4200 mm
Sheet thickness (420 N/mm²)	1.5 mm
Origin	Türkiye


approx. 10 weeks from order


€ 71.500,00


Leasing*: € 1.351,35




















General characteristics

Bending length	4200 mm
Sheet thickness (420 N/mm²)	1.5 mm
Max. thickness - stainless steel	1 mm
Max. thickness - aluminium	2 mm
Antrieb	Motorized
Back gauge	1000 mm

Dimensions and weight

Hesse + Co Maschinenfabrik GmbH
IZ Nö Süd, Straße 4, Objekt 8
A-2351 Wiener Neudorf
www.hesse-maschinen.com
T +43-2236-63870-0
F +43-2236-63662
office@hesse-maschinen.com

Length	5450 mm
Width	2200 mm
Height	1900 mm
Weight	5350 kg

Description

CNC control with tabular programming

- 15,6" touchscreen controller on swivel arm
- tabular programming by entering the axes values
- open or drop hemming function
- multi radius bending function as by pressing or by bending
- programming of material quality, thickness, spring back, bending correction
  and creating a data base for every type of material, thickness and length
- piece counter
- autorisiation with password
- 128GB HDD allows almost unlimited data storage
- remote service connection via WLAN
- detailled alarm, tool and paramter page

Motorized drive (servo motors) of the upper and bending beam (Z and Y axes)

Motorized back stop (X axis) with servo drive, 1000 mm, rectangular configuration,

with ball rollers in the sheet metal inserts

Upper beam opening 220 mm (without tools)

Manual bending beam adjustment 35 mm

Upper beam with 45° geometry Upper tool 20° with R1, undivided

2 pcs. Bending beam rail (7 or 10 mm, 15 or 25 mm)

Front light barrier protection

3-way foot pedal

Options:

Secstioned goose neck upper tool

Pneumatic tool clamping

Sectioned lower and bending tool

Servo drive for the bending beam

Manual crowning system

Second foot pedal

Side stop

Rear light barrier protection

2D or 3D graphic control

PC software

Special Omega geometry for lower and bending tool

Conical back stop

Back stop extension

Vacuum holder

Further information

Brochures

- Katalog Schwenkbiegemaschinen und Tafelscheren Erbend

Product video

- bulzcabaluu.youtube

Notice

Prices ex location, excluding VAT.

The General Terms and Conditions of Delivery of the Austrian Association of the Machine and Steel Construction Industry apply.
We only sell under retention of title, the goods remain our unrestricted property until they have been paid for in full.

Price changes and errors excepted.

* Monthly net leasing rate, leasing period 60 months, no down payment, 5% residual value, subject to a positive credit check. The leasing conditions of GRENKELEASING GmbH apply. Valid for lessees based in Austria.