Column drilling machine SB P30 STG PV electronic

Model	SB P30 STG PV electronic
Brand	FLOTT
Condition	new
Year of manufacture	2025
Drilling capacy mild steel	30 mm
Distance spindle - column	280 mm
Stock number	30140
Origin	Germany

✓ On stock


⏱ immediately, subject to prior sale

€ 13.429,36

Leasing*: € 257,84










Photos show optional equipment

Hesse + Co Maschinenfabrik GmbH
IZ Nö Süd, Straße 4, Objekt 8
A-2351 Wiener Neudorf
www.hesse-maschinen.com
T +43-2236-63870-0
F +43-2236-63662
office@hesse-maschinen.com









General characteristics

Drilling capacy mild steel	30 mm
Taper	MK 3
Distance spindle - column	280 mm
Revs	Stufe 1: 125 - 2000; Stufe 2: 250 - 4000 r.p.m.
Motor	0,9 / 1,45 kW kW
Tapping capacity	M20
Feeds	0 - 300 mm/r
Distance spindle - table	240 - 790 mm
Table	420 x 340 mm
Quill travel	125 mm

Dimensions and weight

Length	820 mm
Width	520 mm
Height	1900 mm
Weight	320 kg

Description

PV - display with following functions:

- Display

- Operation via function keys and rotary/push button

- Selection of operating mode: manual drilling / drilling with feed / tapping

- Infinitely variable speed adjustment

- Feed rate setting

- Zero point setting

- Drilling depth setting

- Piece counter
- Spindle stop (automatically stops the spindle after the drilling cycle)
- Free cutting time mode
- Chip breaking mode (option, price on request)
- Jump switch mode, for efficient drilling of square tubes (option, price on request)

Drilling capacity / normal drilling performance 25/30 (in E335/ST60)

Automatic feed

Digital speed-, drilling depth and feed display

Drilling depth adjustment with fine adjustment and undervoltage trigger

EMERGENCY STOP pushbutton

Stepless speed control

Table height adjustment via toothed rack

Connection cable (1.5 m) with CEE plug

Drill protection with electr. Fuse

Thermal overload protection

Electronically infinitely variable feed incl. Spindle monitoring

Free cutting device

Thread cutting device, thread cutting capacity max. M20, setting the thread cutting depth via digital depth display

Drilling depth shut-off; programmable; easy operation

Drilling cross with pushbutton for feed on/off switching

Optional transparent or black protective hood (stock machine transparent)

LED lighting as standard

Options:

Drill package 5 (vice & keyless chuck)

Coolant device

LED lighting with pivot arm

Further information

Brochures

- Datasheet FLOTT SB P30 STG PV electronic
- Catalogue drilling machines and double grinding machines FLOTT

Product video

- t8p4uads3uk.youtube

Notice

Prices ex location, excluding VAT.

The General Terms and Conditions of Delivery of the Austrian Association of the Machine and Steel Construction Industry apply.
We only sell under retention of title, the goods remain our unrestricted property until they have been paid for in full.

Price changes and errors excepted.

* Monthly net leasing rate, leasing period 60 months, no down payment, 5% residual value, subject to a positive credit check. The leasing conditions of GRENKELEASING GmbH apply. Valid for lessees based in Austria.