

Precision-centre lathe WEILER Praktikant 160 B

Model	WEILER Praktikant 160 B
Condition	used
Year of manufacture	2001
Swing over bed	320 mm
Distance between centers	650 mm
Stock number	10191
Origin	Germany

✓ On stock

🕒 immediately, subject to prior sale

€ 24.500,00





General characteristics

Swing over bed	320 mm
Distance between centers	650 mm
Centre height	160 mm
Spindle bore	40 mm
swing over cross slide	192 mm
Width of bed	205 mm
Spindle nose / DIN55027	5
Spindle taper	5 M
Spindle speed steps	16
Spindle revs	48 - 2500 rpm
Number of feeds	24
Longitudinal feed range	0.02 - 0.63 mm/r
Cross feed range	0.006 - 0.2 mm/r
Metric thread range	0.25 - 8 mm
Inch thread range	80 - 2 Tpi
Module thread range	0.2 - 4
DP thread range	200 - 5
Cross slide travel	150 mm
Top slide travel	100 mm
Tailstock quill diameter	40 mm
Tailstock quill taper	3 MK
Tailstock travel	85 mm
Motor	2,4 / 3 kW

Dimensions and weight

Length	1582 mm
Width	715 mm
Height	1245 mm
Weight	720 kg

Description

Hesse + Co Maschinenfabrik GmbH
IZ Nö Süd, Straße 4, Objekt 8
A-2351 Wiener Neudorf

www.hesse-maschinen.com

T [+43-2236-63870-0](tel:+432236638700)
F [+43-2236-63662](tel:+43223663662)
office@hesse-maschinen.com

Heidenhain 3-axis digital readout

New Röhm 3-jaw chuck, 160 mm diameter, with internal and external jaws

Quick-change tool post with one rectangular insert and one round insert

Quick-release collet chuck with collets from 3 to 30,5 mm

Live centre

Drill chuck

Chuck guard

Lead and feed screw guard

Motor brake

Coolant system

Mounting feet

Operating instructions in German with CE declaration of conformity

Further information

Product video

- [lpq4f08lrq.youtube](https://www.youtube.com/watch?v=lpq4f08lrq)

Notice

Prices ex location, excluding VAT.

The [General Terms and Conditions of Delivery](#) of the Austrian Association of the Machine and Steel Construction Industry apply.

We only sell under retention of title, the goods remain our unrestricted property until they have been paid for in full.

Price changes and errors excepted.