

Universal bending machine EurekaMatic Pro

Model	EurekaMatic Pro
Brand	<u>MEMOLI</u>
Condition	new
Tube diameter	48 x 3
Flat steel	100 x 15 mm
Origin	Italy


⌚ approx. 3-6 weeks from placing order

€ 10.540,00

Leasing*: € 202,37




With device AB-PF for angle bending



With device AB-PF for angle bending



With device AB-CF for round bending



With device AB-CF for round bending




With device AB-CT for tube bending
without mandrel



With device AB-CT for tube bending
without mandrel




With device AB-CTA for tube bending with
mandrel and manual vice



With device AB-CTA for tube bending with
mandrel and manual vice



With device AB-CTA for tube bending with
mandrel and pneumatic vice



With device AB-CTA for tube bending with
mandrel and pneumatic vice

General characteristics

Motor	2.2 kW
Rotation speed	5 U/min
Flat steel	100 x 15 mm
Tube diameter	48 x 3

Dimensions and weight

Hesse + Co Maschinenfabrik GmbH
IZ Nö Süd, Straße 4, Objekt 8
A-2351 Wiener Neudorf

www.hesse-maschinen.com

T [+43-2236-63870-0](tel:+432236638700)
F [+43-2236-63662](tel:+43223663662)
office@hesse-maschinen.com

Length	870 mm
Width	590 mm
Height	940 mm
Weight	300 kg

Description

One machine, 4 different operations:

- Angle bending (AB-PF) - Round steel diameter. 35 mm, square steel 30 mm, flat steel 100 x 15 mm
- Round bending (AB-CF) - Round steel diameter. 35 mm, square steel 30 mm, flat steel 100 x 15 mm
- Pipe bending without mandrel (AB-CT) - Round steel diameter. 35 mm, tube diameter 48 x 3 mm
- Pipe bending with mandrel (AB-CTA) - Round steel diameter. 35 mm, tube diameter 48 x 2 mm

Touch screen

- Display of programmed and current angle
- up to 49 programs
- Programming the springback compensation

Price of the basic machine without bending devices

Fast tool change

Manual, semi-automatic or automatic operating mode

Options (prices on request):

Bending device for angle bending AB-PF

Bending device for round bending (AB-CF)

Bending device for pipe bending without mandrel (AB-CT)

Bending device for pipe bending with mandrel (AB-CTA)

Manual or pneumatic vice

Foot pedal

Double foot pedal with emergency stop

Positioning device 2.5 m - X axis with 5 stops, Z axis with 4 stops

Further information

Brochures

- [Katalog Universalbiegemaschine MEMOLI EurekaMatic Pro 2026](#)
- [Datenblatt Universalbiegemaschine MEMOLI EurekaMatic Pro](#)

Notice

Prices ex location, excluding VAT.

The [General Terms and Conditions of Delivery](#) of the Austrian Association of the Machine and Steel Construction Industry apply.

We only sell under retention of title, the goods remain our unrestricted property until they have been paid for in full.

Price changes and errors excepted.

* Monthly net leasing rate, leasing period 60 months, no down payment, 5% residual value, subject to a positive credit check. The leasing conditions of [GRENKELEASING GmbH](#) apply. Valid for lessees based in Austria.