Hydraulic CNC plate shear VS 6013

Model	VS 6013
Brand	HESSE by DURMA
Condition	new
Max. thickness - mild steel	13 mm
Cutting length	6080 mm
Origin	Türkiye

approx. 12 - 14 weeks from order

€ 174.000,00

Leasing*: € 3.288,60



General characteristics

Cutting length	6080 mm
Max. thickness - mild steel	13 mm
Max. thickness - stainless steel	10 mm
Gap in side frame	350 mm
Strokes	10 1/min
Cutting angle	0.5 - 2.5 °
Number of downholders	29 pcs.
Pressure of downholder	58 to
Back gauge	1000 mm
Back gauge speed	200 mm/s
Motor power	37 kW
Oiltank	400 l
Support arms	6 pcs.
Table height	950 mm
Table width	650 mm
Table length	6375 mm

Dimensions and weight

Length	7400 mm
Width	2200 mm
Total width with support arm und protection fence	3700 mm
Height	2900 mm
Weight	33820 kg

Description

linear guided

CNC touch screen D-touch 7 back gauge, cutting angle, cutting gap, cutting length, quantity

USB port

cutting line illumination

foldable ball screws for back gauge

balls in table

foldable finger protection, 1.000 mm

side lay with T-slot, tilting cam and scale

6 support arms wit T-slots

oilfilling

light barrier on the back of the machine

user manual in GERMAN and ENGLISH

Price FCA Turkey

(sample photo)

Further information

Brochures

- Catalogue hydraulic CNC plateshear Durma VS series

Product video

- phicuey_s9u.youtube

Notice

Prices ex location, excluding VAT.

The General Terms and Conditions of Delivery of the Austrian Association of the Machine and Steel Construction Industry apply.

We only sell under retention of title, the goods remain our unrestricted property until they have been paid for in full.

Price changes and errors excepted.

* Monthly net leasing rate, leasing period 60 months, no down payment, 5% residual value, subject to a positive credit check. The leasing conditions of GRENKELEASING GmbH apply. Valid for lessees based in Austria.

Hesse + Co Maschinenfabrik GmbH
IZ Nö Süd, Straße 4, Objekt 8
A-2351 Wiener Neudorf
www.hesse-maschinen.com
T +43-2236-63870-0
F +43-2236-63662
office@hesse-maschinen.com