

C-frame eccentric press MC-200

Model	MC-200
Brand	<u>MA.TE</u>
Condition	new
pressing capacity	200 to
Strokes	35 - 50 1/min
Origin	Italy

⌚ approx. 8 weeks from order

€ 173.600,00

Leasing*: € 3.281,04



Symbolfoto / sample photo



General characteristics

pressing capacity	200 to
Tonnage rating point	7 mm
Table length	1350 mm
Table width	800 mm
Hole in table	250 mm
Stroke	18 - 180 mm
Strokes	35 - 50 1/min
Ram	900x570 mm
Ram guides	8
Ram adjustment	110 mm
Throat depth	410 mm
Distance between columns	820 mm
Motor	22 kW

Dimensions and weight

Length	1500 mm
Width	2633 mm
Height	3950 mm
Weight	20000 kg

Description

touch screen control
semi automatic stroke adjustment
die space adjustment with mechanical display decimal resolution
adjustable motor speed
overload protector
automatic cams reset
double bolster plate
oil circular lubrication
dynamic brake
safety light guard Keyence

Automation and control of press parameters by PLC, alarms and informations displayd on human machine interface touch screen.

Standard monitoring:

- press speed view and adjustment
- programmable piece counter and maintenance piece counter
- die space adjustment with brake motor
- Semi automatic or automatic stroke adjustment

- die safety control
- alarms view
- overload protector

Price FCA Italy

Further information

Brochures

- [Mate Exzenterpressen](#)
- [MA.TE MC Series](#)

Notice

Prices ex location, excluding VAT.

The [General Terms and Conditions of Delivery](#) of the Austrian Association of the Machine and Steel Construction Industry apply.

We only sell under retention of title, the goods remain our unrestricted property until they have been paid for in full.

Price changes and errors excepted.

* Monthly net leasing rate, leasing period 60 months, no down payment, 5% residual value, subject to a positive credit check. The leasing conditions of [GRENKELEASING GmbH](#) apply. Valid for lessees based in Austria.