

C-frame eccentric press MC-250

Model	MC-250
Brand	<u>MA.TE</u>
Condition	new
pressing capacity	250 to
Strokes	25 - 50 1/min
Origin	Italy

⌚ approx. 14 - 16 weeks from order

€ 199.300,00

Leasing*: € 3.766,77



Symbolfoto / sample photo



General characteristics

pressing capacity	250 to
Tonnage rating point	8 mm
Table length	1400 mm
Table width	800 mm
Hole in table	250 mm
Stroke	23 - 220 mm
Strokes	25 - 50 1/min
Ram	950x620 mm
Ram guides	8
Ram adjustment	120 mm
Throat depth	410 mm
Distance between columns	820 mm
Motor	33 kW

Dimensions and weight

Length	1600 mm
Width	2900 mm
Height	4250 mm
Weight	25000 kg

Description

touch screen control
semi automatic stroke adjustment
die space adjustment with mechanical display decimal resolution
adjustable motor speed
overload protector
automatic cams reset
double bolster plate
oil circular lubrication
dynamic brake
safety light guard Keyence

Automation and control of press parameters by PLC, alarms and informations displayed on human machine interface touch screen.

Standard monitoring:

- press speed view and adjustment
- programmable piece counter and maintenance piece counter
- die space adjustment with brake motor
- semi automatic or automatic stroke adjustment

- die safety controls
- alarms view
- overload protector

Price FCA Italy

Further information

Brochures

- [Mate Exzenterpressen](#)
- [MA.TE MC Series](#)

Notice

Prices ex location, excluding VAT.

The [General Terms and Conditions of Delivery](#) of the Austrian Association of the Machine and Steel Construction Industry apply.

We only sell under retention of title, the goods remain our unrestricted property until they have been paid for in full.

Price changes and errors excepted.

* Monthly net leasing rate, leasing period 60 months, no down payment, 5% residual value, subject to a positive credit check. The leasing conditions of [GRENKELEASING GmbH](#) apply. Valid for lessees based in Austria.