

Electric long folding machine BENDTRON 4.1,50



| | |
|--|--------------------|
| Model | BENDTRON 4.1,50 |
| Brand | <u>BIEGEMASTER</u> |
| Condition | new |
| Bending length | 4010 mm |
| Bending capacity steel 400 N/mm ² | 1.5 mm |
| Origin | Germany |

⌚ approx. 12 - 14 weeks from order

Price on request



Symbolfoto / sample photo



General characteristics

| | |
|--|---------|
| Bending length | 4010 mm |
| Bending capacity steel 400 N/mm ² | 1.5 mm |
| Bending capacity Alu 190 N/mm ² | 2 mm |
| No. of stand and tension arm units | 4 |

Dimensions and weight

Description

Electrocinematic drive of the bending joints

millimeter precise adjustment of the clamping beam

BMS MULTI-Touch control

electric powered rotary shear
electronic depth stop
flexible material supports
inclined bending beam
optimized geometry of the clamping beam
safety equipment according to the control rules BG Germany

3 year warranty on stands and tension arms.

Quality Made in Germany.

Further models from 3 up to 12 m length and from 1,25 mm up to 2,00 mm bending capacity on request.

Options:

| | |
|--|------------------|
| Extended depth 1.250 mm | price on request |
| Conical depth stop to bend conical profiles and narrow/wide bendings for easy intermateing | price on request |
| clamping beam made out of hardox | price on request |

Prices ex works Germany.

Transport and commissioning at customers place on request.

Further information

Brochures

- [Catalogue longfoldingmachines BIEGEMASTER](#)

Product video

- [wnmoqssfbhu.youtube](https://www.wnmoqssfbhu.youtube)
- [Biegemaster MultiTouch Steuerung](#)

Notice

Prices ex location, excluding VAT.

The [General Terms and Conditions of Delivery](#) of the Austrian Association of the Machine and Steel Construction Industry

apply.

We only sell under retention of title, the goods remain our unrestricted property until they have been paid for in full.

Price changes and errors excepted.