

Steelworker BENDICROP 85 S

Model	BENDICROP 85 S
Brand	<u>GEKA</u>
Condition	new
Punching power	85 ton
Max. diameter at sheet thickness (mild steel)	40/15 bzw. 24x24 mm
Origin	Spain

⌚ approx. 8 weeks from order

€ 30.800,00

Leasing*: € 588,28



Symbolfoto / sample photo



General characteristics

Punching power	85 ton
Throat depth	300 mm
Number of stations	5
Max. diameter at sheet thickness (mild steel)	40/15 bzw. 24x24 mm
Flat steel	450x15 / 450x18 mm
Blade length	475 mm
Angle steel	130x130x13 mm
Round / square steel	45/40 mm
Notcher	12 mm

Bending unit	200x12 mm
Motor	9.2 kW

Dimensions and weight

Length	2300 mm
Width	1200 mm
Height	2100 mm
Weight	2400 kg

Description

hydraulic drive
2 foot pedals for independant working on punching and section station
bending unit with 2 dies, V40 and V70
flat steel station **with device for reducing deformation**
angle iron station with round and square bar cutting
triangular notching station with table and gauge
punching station with table and gauge
gauge 1000 mm with contact switch, for angle / flat steel station
operating manual in German and English

Further information

Brochures

- [GEKA Profistahlscheren](#)
- [GEKA Werkzeugkatalog](#)

Notice

Prices ex location, excluding VAT.

The [General Terms and Conditions of Delivery](#) of the Austrian Association of the Machine and Steel Construction Industry apply.

We only sell under retention of title, the goods remain our unrestricted property until they have been paid for in full.

Price changes and errors excepted.

* Monthly net leasing rate, leasing period 60 months, no down payment, 5% residual value, subject to a positive credit check. The leasing conditions of [GRENKELEASING GmbH](#) apply. Valid for lessees based in Austria.

