

Steelworker BENDICROP 85 S

| | |
|---|---------------------|
| Model | BENDICROP 85 S |
| Brand | <u>GEKA</u> |
| Condition | new |
| Punching power | 85 ton |
| Max. diameter at sheet thickness (mild steel) | 40/15 bzw. 24x24 mm |
| Origin | Spain |

⌚ approx. 8 weeks from order

€ 30.800,00

Leasing*: € 588,28



Symbolfoto / sample photo



General characteristics

| | |
|---|---------------------|
| Punching power | 85 ton |
| Throat depth | 300 mm |
| Number of stations | 5 |
| Max. diameter at sheet thickness (mild steel) | 40/15 bzw. 24x24 mm |
| Flat steel | 450x15 / 450x18 mm |
| Blade length | 475 mm |
| Angle steel | 130x130x13 mm |
| Round / square steel | 45/40 mm |
| Notcher | 12 mm |

| | |
|--------------|-----------|
| Bending unit | 200x12 mm |
| Motor | 9.2 kW |

Dimensions and weight

| | |
|--------|---------|
| Length | 2300 mm |
| Width | 1200 mm |
| Height | 2100 mm |
| Weight | 2400 kg |

Description

hydraulic drive

2 foot pedals for independant working on punching and section station

bending unit with 2 dies, V40 and V70

flat steel station **with device for reducing deformation**

angle iron station with round and square bar cutting

triangular notching station with table and gauge

punching station with table and gauge

gauge 1000 mm with contact switch, for angle / flat steel station

operating manual in German and English

Further information

Brochures

- [GEKA Profistahlscheren](#)
- [GEKA Werkzeugkatalog](#)

Notice

Prices ex location, excluding VAT.

The [General Terms and Conditions of Delivery](#) of the Austrian Association of the Machine and Steel Construction Industry apply.

We only sell under retention of title, the goods remain our unrestricted property until they have been paid for in full.

Price changes and errors excepted.

* Monthly net leasing rate, leasing period 60 months, no down payment, 5% residual value, subject to a positive credit check. The leasing conditions of [GRENKELEASING GmbH](#) apply. Valid for lessees based in Austria.

