

## Steelworker BENDICROP 85 SD

Model	BENDICROP 85 SD
Brand	<u>GEKA</u>
Condition	new
Punching power	85 ton
Max. diameter at sheet thickness (mild steel)	40/15 bzw. 24x24 mm
Origin	Spain

⌚ approx. 8 weeks from order

**€ 36.000,00**

Leasing\*: € 687,60



Symbolfoto / sample photo



## General characteristics

Punching power	85 ton
Throat depth	500 mm
Number of stations	5
Max. diameter at sheet thickness (mild steel)	40/15 bzw. 24x24 mm
Flat steel	450x15 / 450x18 mm
Blade length	475 mm
Angle steel	130x130x13 mm
Round / square steel	45/40 mm
Notcher	12 mm
Bending unit	200x12 mm

Motor 9.2 kW

## Dimensions and weight

Length	2300 mm
Width	1200 mm
Height	2100 mm
Weight	2400 kg

## Description

hydraulic drive

2 foot pedals for independant working on punching and section station

bending unit with 2 dies, V40 and V70

flat steel station **with device for reducing deformation**

angle iron station with round and square bar cutting

hydraulic downhold for flat- and angle station

triangular notching station with table and gauge

punching station with table and gauge

gauge 1000 mm with contact switch, for angle / flat steel station

operating manual in German and Englisch

## Further information

### Brochures

- [GEKA Profistahlscheren](#)
- [GEKA Werkzeugkatalog](#)

## Notice

Prices ex location, excluding VAT.

The [General Terms and Conditions of Delivery](#) of the Austrian Association of the Machine and Steel Construction Industry apply.

We only sell under retention of title, the goods remain our unrestricted property until they have been paid for in full.

Price changes and errors excepted.

\* Monthly net leasing rate, leasing period 60 months, no down payment, 5% residual value, subject to a positive credit check. The leasing conditions of [GRENKELEASING GmbH](#) apply. Valid for lessees based in Austria.