

Steelworker HYD 80 SD

Model	HYD 80 SD
Brand	<u>GEKA</u>
Condition	new
Punching power	80 ton
Max. diameter at sheet thickness (mild steel)	40/14 bzw. 24/24 mm
Origin	Spain

⌚ approx. 8 weeks from order

€ 25.700,00

Leasing*: € 490,87



Symbolfoto / sample photo

General characteristics

Punching power	80 ton
Throat depth	500 mm
Number of stations	5
Max. diameter at sheet thickness (mild steel)	40/14 bzw. 24/24 mm
Stroke	70 mm
Strokes	40 1/min
Flat steel	450x15 / 300x20 mm
Angle steel	130x130x13 mm
Round / square steel	45 mm
Notcher	12x52x90 mm
Motor	9 kW

Dimensions and weight

Length	2310 mm
Width	1200 mm
Height	2050 mm
Weight	2400 kg

Description

2 foot pedals for independent work at 2 stations

hydr. drive

flat bar shear

angle bar shear with minimum deformation by diagonal moving of the blade

round and square bar shear

rectangular notching unit

punching unit up to diam. 40 mm

fast hydraulic, centring device

oilfilling

table at the punching station with gauge

table at the notching unit with gauge

table at the flat bar shear

user manual in GERMAN and ENGLISH

Option:

Kit € 970,00

length stop 1000 mm with contact switch, for angle, flat or bar station

magnetic machine lamp

10 set round punches and dies: 8, 10, 12, 14, 16, 18, 20, 22, 24 and 26 mm

Further information

Brochures

- [GEKA Profistahlscheren](#)
- [GEKA Werkzeugkatalog](#)

Notice

Prices ex location, excluding VAT.

The [General Terms and Conditions of Delivery](#) of the Austrian Association of the Machine and Steel Construction Industry apply.

We only sell under retention of title, the goods remain our unrestricted property until they have been paid for in full.

Price changes and errors excepted.

* Monthly net leasing rate, leasing period 60 months, no down payment, 5% residual value, subject to a positive credit check. The leasing conditions of [GRENKELEASING GmbH](#) apply. Valid for lessees based in Austria.