

Data sheet – SB P30 STG PV Electronic

Column drill machine



Column drill machine with intermediate table

Drilling technology large format

Ordering Options:

Gray Hood

Item-No.: 207.183

Transparent hood

Item-No.: 207.220



Universal drill with infinitely variable speed drive,
depth stop with fine adjustment including
connection cable



Additional information



Watch the YouTube video

To the operating instructions

Technical data

Column drill machine



Drilling depth (mm)	125
Tapping performance (depending on pitch)	M20
Infinitely variable spindle speed with countergear	125 – 4,000, Level 1: 125 – 2,000, Level 2: 250 – 4.000
Spindle	MK III
Speed display	Digital
Drilling depth indicator	Digital
Drilling depth gauge	with fine adjustment
Table height adjustment	with rack and pinion
Motor three-phase, 400 V, pole-reversible (kW)	0,9/1,45
Continuous/Normal Drilling Capacity (mm)	25/30 (in E335/ST60)
Feed rate (mm/revolution)	0 - 300
T-slot size (arm), spacing (mm), dimension width (mm)	Number 2, 160, 13/26
Projection (mm)	280
Column diameter (mm)	110
Usable work surface (W x L) (mm)	420 x 340
Spindle/work surface distance (mm)	240 - 790
Machine dimension without packaging (mm)	520 x 820 x 1,900
Machine Dimension with Packing (mm)	670 x 1,100 x 2,200
Weight (kg)	320

Standard equipment

- ▶ New touch display
- ▶ Drilling depth adjustment with fine adjustment and undervoltage trigger
- ▶ EMERGENCY STOP PUSH BUTTON
- ▶ Infinitely variable speed control
- ▶ Table height adjustment via rack and pinion
- ▶ Connection cable (1.5 m) with CEE plug
- ▶ Drill protection with electr. Hedge
- ▶ Thermal overload protection
- ▶ Digital drilling depth, speed and feed indication
- ▶ Electronically infinitely variable feed incl. spindle monitoring
- ▶ Brush cutting device
- ▶ Tapping device, tapping capacity max. M20, adjustment of tapping depth via digital depth display
- ▶ Drilling depth shutdown; programmable; Ease of use
- ▶ Drill cross with push button for feed on/off switch
- ▶ Optional transparent protective cover without
- ▶ LED lighting as standard
- ▶ 3-year warranty for single-shift operation


Vertrauen Sie auf über 70 Jahre Erfahrung!

Die Firma HESSE+CO wurde 1947 als Hersteller von Blechbearbeitungsmaschinen gegründet. Seit 1980 sind wir auf den Handel mit neuen sowie gebrauchten Blechbearbeitungs- und Werkzeugmaschinen spezialisiert. Wir haben ständig etwa 300 Maschinen in unserer 2.000 m² großen Ausstellungshalle, die nur 20 Minuten vom internationalen Flughafen Wien entfernt ist.

Trust in more than 70 years of experience!

HESSE+CO was established in 1947 as a manufacturer of sheet metal working machines. Since 1980 we are specialized in dealing with new and second hand sheet metal processing machines and machine tools. We always have approximately 300 machines available in our 2.000 m² showroom, which is located only 20 minutes from the Vienna International Airport, waiting for your inspection.

www.hesse-maschinen.com



Öffnungszeiten:

Mo - Do 8:00 - 16:30 Uhr
Fr 8:00 - 14:30 Uhr

HESSE+CO Maschinenfabrik GmbH
Industrienzentrum NÖ-Süd
Straße 4 - Objekt 8
A-2351 Wiener Neudorf
AUSTRIA

hesse **hesse+co**
blechpower
maschinen und werkzeuge

Technische Änderungen, Irrtum und Druckfehler vorbehalten.
Gültig bis auf Widerruf.

Tel.: +43/2236/638 70-0
Fax: +43/2236/636 62
office@hesse-maschinen.com
www.hesse-maschinen.com
www.blechpower.com