


OPTIONS AVAILABLE:

## PLASMA CUTTING



### CNC Control.

- Simple use and intuitive CNC control.
- Operable via included remote control.



### CAD/CAM Software + Nesting.

- Extensive parts library to parametrize different shapes and skip drawing them via CAM.
- Automatic and manual nesting with great flexibility and maximum material usage.
- Part interference detection.



### Marking for Parts.

- Optional pressure marking for pieces.



### 3 kW Exhaust Fan.

- 3 kW high performance centrifugal fan with extraction turbine.




GEKA: Quality + Know-how + Service

Plasma GCS-P Series.

High production cutting table for metal processing.

CNC controlled plasma cutting table for metal processing, available in different sizes and with the possibility of a simple grid table or sectorized fumes extraction.



Hypertherm Powermax Plasma cutting unit:

- Best performance in its class.
- State-of-the-art consumable technology delivers faster speeds and better cut quality to help you get more done in less time.
- High portability, simple controls and a stable plasma arc make Powermax systems easy to operate, even for beginners.
- Long consumable life and fast cut speeds lower your cutting and gouging costs.



Hypertherm plasma	Carbon steel	Stainless steel	Aluminium	Duty cycle	100% duty cycle
Powermax45	12 mm	12 mm	12 mm	50%	32 Amps
Powermax65	16 mm	12 mm	12 mm	50%	46 Amps
Powermax85	20 mm	16 mm	12 mm	60%	66 Amps
Powermax105	22 mm	20 mm	12 mm	80%	94 Amps
Powermax125	25 mm	20 mm	12 mm	100%	125 Amps

Models and optionals:



MODELS	Table size	Simple grating table	Simple gas extraction workbed	Chambered gas extraction workbed
GCS-P2010	2000x1000 mm	●	●	
GCS-P3015	3000x1500 mm	●	●	●
GCS-P4020	4000x2000 mm		●	●
GCS-P6020	6000x2000 mm			●

Capacities based on a material resistance of 45 Kg/mm<sup>2</sup>. Technical characteristics valid except for typographical errors or omissions. Geka group, committed to continuous product improvement, may without notice change technical specifications, equipment and photographs of models, as well as any other information contained herein.

Capacities based on a material resistance of 45 Kg/mm<sup>2</sup>. Technical characteristics valid except for typographical errors or omissions. Geka group, committed to continuous product improvement, may without notice change technical specifications, equipment and photographs of models, as well as any other information contained herein.


## Vertrauen Sie auf über 70 Jahre Erfahrung!

Die Firma HESSE+CO wurde 1947 als Hersteller von Blechbearbeitungsmaschinen gegründet. Seit 1980 sind wir auf den Handel mit neuen sowie gebrauchten Blechbearbeitungs- und Werkzeugmaschinen spezialisiert. Wir haben ständig etwa 300 Maschinen in unserer 2.000 m<sup>2</sup> großen Ausstellungshalle, die nur 20 Minuten vom internationalen Flughafen Wien entfernt ist.

## Trust in more than 70 years of experience!

HESSE+CO was established in 1947 as a manufacturer of sheet metal working machines. Since 1980 we are specialized in dealing with new and second hand sheet metal processing machines and machine tools. We always have approximately 300 machines available in our 2.000 m<sup>2</sup> showroom, which is located only 20 minutes from the Vienna International Airport, waiting for your inspection.

[www.hesse-maschinen.com](http://www.hesse-maschinen.com)



### Öffnungszeiten:

Mo - Do 8:00 - 16:30 Uhr  
Fr 8:00 - 14:30 Uhr

HESSE+CO Maschinenfabrik GmbH  
Industriezentrum NÖ-Süd  
Straße 4 - Objekt 8  
A-2351 Wiener Neudorf  
AUSTRIA

**hesse** **hesse+co**  
*blechpower*  
maschinen und werkzeuge

Technische Änderungen, Irrtum und Druckfehler vorbehalten.  
Gültig bis auf Widerruf.

Tel.: +43/2236/638 70-0  
Fax: +43/2236/636 62  
[office@hesse-maschinen.com](mailto:office@hesse-maschinen.com)  
[www.hesse-maschinen.com](http://www.hesse-maschinen.com)  
[www.blechpower.com](http://www.blechpower.com)